



XS651de  
XS654de

# Easy. Smart. Fast.

High performance monochrome MFPs for midsize to large workgroups



XS651de



XS654de

**LEXMARK**  
TM

# Why Lexmark?

Founded from an IBM heritage in Lexington, Kentucky, in 1991, Lexmark is one of the few American companies to own, develop and market inkjet, laser and color laser print technologies. As a long-term member of the Fortune 500, Lexmark is poised to deliver on its promise to produce quality, dependable products well into the future.

We listen to our customers and  
**we deliver solutions.**  
Raise your expectations, because  
**we are raising the bar.**



## Lexmark cares

When it comes to our planet, we know there is no substitute. We strive to provide industry-leading environmental practices that relate not only to our products, but also to everything we do, everywhere in the world. For more details on our environmental, health and safety practices, visit our website at [www.lexmark.com](http://www.lexmark.com).



Over **75 percent** of the world's top banks, retailers and pharmacies use Lexmark.

It's time to put Lexmark to work for you.  
To read about our customers, visit  
**[www.lexmark.com/casestudies](http://www.lexmark.com/casestudies)**.



**LEXMARK**<sup>TM</sup>

# Outstanding Performance



Be more productive

- High-performance, space-saving multifunction laser
- Unique business solutions help you work smarter, not harder
- Customizable touch screen for simple one-touch operation
- Proactively tracks and identifies security risks
- High-capacity cartridges reduce printing costs and run longer with less waste

Lexmark's multifunction devices are **Easy.**  
**Smart.**  
**Fast.**



# Easy

## e-Task interface

The Lexmark e-Task interface is the entry point to your Lexmark multifunction device. It's a customizable touch screen with capabilities for high-demand multitasking. The e-Task interface requires virtually no set-up or installation and can be easily integrated with your network.

Lexmark's workflow software enables your business to print less, move more information fast, and manage documents more effectively.



## embedded Solutions Framework (eSF)

Lexmark's eSF gives you control to accomplish a variety of tasks from the multifunction device, through an intuitive Java®-based platform. We offer a wide variety of embedded applications such as:



**Card Copy** - This innovative feature helps save paper and time by copying both sides of an insurance or ID card onto the front of a single sheet of paper.



**Customer Support Application** - An icon on the e-Task interface will link directly to your dealer's contact information for quick and easy service and supplies calls.



**Remote Copy** - Users can scan a document in full color from the mono MFP to be printed on a remote Lexmark color printer.



**Forms on Demand** - Users choose and then print selected forms right from the MFP touch screen.



**Green Copy** - This innovative feature helps save paper and toner, helping offices run more efficiently.

**MFP Usage** - This application tracks copy, fax, e-mail, and FTP usage on an MFP that has a hard drive. Statistics can be sent via email, FTP or to a network share on a scheduled basis.

Java is a registered trademark of Sun Microsystems, Inc.

\*Optional hard drive enables additional advanced Lexmark eSF applications.



## Lexmark keeps you secure

Lexmark's MFPs and printers support industry best practices for network device protection, and Lexmark's enhanced security features seamlessly help protect user data without sacrificing performance.

- Confidential print
- Operator panel lock
- Secure data encryption and disk wiping
- MFP lockout
- IPSec, SNMPv3 and 802.1x network security
- IPV6
- Secure user authentication
- Industry-leading access restrictions, including LDAP
- HTTPS
- Proactively tracks and identifies security risks
- Physical locking capabilities (Kensington™)

## Vertical Solutions

Lexmark offers a wide variety of bundled software solutions to help customers be more productive and work smarter.



### Education Station

Solution integrated into the educational space where classroom testing and paperwork tasks can be performed with just one touch. Consists of Scan to Classroom, Print Test, Grade Test and Forms on Demand.



### Clinical Assistant

Solution for the healthcare industry designed to save clinicians time and improve patient care by streamlining common healthcare workflow processes. Consists of Scan to EMR, Physician Order Routing, Forms on Demand and Card Copy.



### Legal Partner

Solution for the legal industry designed to simplify law office workflow processes. Consists of Scan to Court, Scan to Network, Copitrak-Capable and Custom Screensaver.\*

\*Planned availability Q1 2009.


# Fast

## Network management

Easy network management is accomplished by well-designed tools that facilitate device administration—streamlining workflow in daily business operations. We understand networks.

**Lexmark MarkVision Professional** provides network administrators with timesaving and easy-to-use print management applications.

The **Lexmark embedded web server** provides administrators access to embedded web pages in order to view, monitor and configure the multifunction device directly from the user's computer.



## Scanning capabilities

Lexmark provides a variety of scanning options, in monochrome and color. It is a fast, convenient way to communicate with colleagues and customers by scanning documents to your e-mail, desktop, network folder or FTP.

**Scan to E-mail** - With a single touch of a button, easily scan your paper based documents to e-mail accounts or groups. Seamlessly integrates into your corporate LDAP directory.

**Scan to Desktop** - Multiple ways to scan documents to a PC/desktop. The scanned file can be sent to an individual workstation via web browser, ScanBack utility, local or network TWAIN driver or scan to network embedded solution.

**Scan to FTP** - Ideal way to archive and share large files with multiple people.

**Scan to Network** - Users can scan documents to a shared network folder or to a desktop with the click of a button, saving space on the server and improving productivity.

LDAP/Active Directory can be used by the MFP to authenticate user credentials, and to look up e-mail or fax numbers from the corporate directory during scan-to-e-mail or scan-to-fax operations.

Quickly and easily scan and archive documents in a wide variety of file formats including: TIFF, MTIFF, JPEG, PDF and XPS.

# Feature Gallery



XS651de  
with additional  
paper drawers

1



## Robust Scanning

Scan mono or color jobs fast with up to 75-sheet capacity ADF

2



## Fast Print Speeds

Up to 45 ppm for efficient printing and copying

3



## 7-inch Color Touch Screen

Easy access to a rich range of functions and features

4



## Direct USB

Front USB port for walk-up printing and scanning to memory device of certain file formats

5



## Paper Possibilities

Standard input is up to 650 sheets, maximum input is up to 3,200 sheets

6



## Optional Fax Capabilities

Send business documents by fax quickly

Space-saving design provides small footprint with exceptional performance.

# Product Configurations



| Configurations             |  XS651de                                                                                                                                                                                                                                                                                                                                 |  XS654de                                                                                                                                                                                                                |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Speeds                     | Black: Copy, Print, Scan up to 45 ppm                                                                                                                                                                                                                                                                                                                                                                                     | Black: Copy, Print, Scan up to 55 ppm                                                                                                                                                                                                                                                                     |
| Paper Handling             | <b>Paper Capacity:</b><br>Standard Input: 650 (550 + 100 Bypass)<br>Standard Output: 550<br>Maximum Input: 3,200 (550 + 550 + 2,000 + 100 Bypass)<br>Maximum Output: 550                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                           |
|                            | <b>Media Information:</b><br>Types: Plain Paper, Paper Labels, Card Stock, Transparencies, Envelopes, Vinyl Labels, Polyester Labels, Dual Web and Integrated Labels<br>Size: Letter, Legal, A4, A5, JIS B5, Executive, Folio, Statement, Universal (2.75 in. x 5 in. to 8.5 in. x 14 in.), Envelopes (7-3/4, 9, 10, DL)<br>Weight: Plain Paper: 16 to 36 lb. (60 to 135 g/m²); Card Stock: Up to 90 lb. Index (163 g/m²) |                                                                                                                                                                                                                                                                                                           |
|                            | ADF Capacity: Up to 75 sheets                                                                                                                                                                                                                                                                                                                                                                                             | Single-Pass Duplex ADF: Up to 75 sheets                                                                                                                                                                                                                                                                   |
| Copy                       | <b>Memory:</b> 256MB/1280MB<br><b>Time to First Page:</b> As Fast as 7.5 seconds<br><b>Copy Resolution:</b> Up to 600 x 600 dpi<br><b>Copy Features:</b> Reduce/Enlarge (25-400%), Paper Saver (2-up and 4-up), Collation, Darkness Adjustment, Original Size to Output Size Selection, Copy Select 1-999, Date/Time Stamp, Message Overlay, Priority Copy (Job Interrupt), Copy Countdown                                |                                                                                                                                                                                                                                                                                                           |
| Print                      | <b>Resolution:</b> 2400 Image Quality<br><b>Processor:</b> 600 MHz<br><b>Hard Drive Option Available:</b> 80GB<br><b>Connectivity (Standard):</b> Ethernet, High Speed USB-A, High Speed USB-B, USB Direct Interface<br><b>Connectivity (Optional):</b> Parallel, Serial, Wireless, Card Reader                                                                                                                           |                                                                                                                                                                                                                                                                                                           |
| Fax                        | Optional: Part #14F0052                                                                                                                                                                                                                                                                                                                                                                                                   | <b>Resolution:</b> 200 x 100 dpi, 200 x 200 dpi, 300 x 300 dpi, 600 x 600 dpi<br><b>Fax Features:</b> Fax Redirect, Group Fax, Manual Fax, Fax from PC, up to 512-Character Shortcuts, Fax Preservation, LDAP Look-up, Caller ID, Speed Dials, Block Junk Faxes, Broadcast, Fax Shortcuts, Fax Forwarding |
| Scan                       | <b>Touch Screen:</b> 7 in. color, customizable<br><b>Scan Features:</b> Resolution: up to 600 x 600 dpi Black and Color<br><b>Scan Destinations:</b> USB Thumb Drive, E-mail, FTP, LDSS, Network or USB Connected Computer, Windows Network Folder<br><b>File Formats:</b> TIFF, MTIFF, JPG, PDF, XPS                                                                                                                     | <b>Touch Screen:</b> 9 in. color, customizable<br><b>Scan Features:</b> Resolution: up to 600 x 600 dpi Black and Color<br><b>Scan Destinations:</b> USB Thumb Drive, E-mail, FTP, LDSS, Network or USB Connected Computer, Windows Network Folder<br><b>File Formats:</b> TIFF, MTIFF, JPG, PDF, XPS     |
| Supplies Yield             | <b>Toner Cartridges:</b> These models ship with a 7,000*-Page Yield Print Cartridge. Aftermarket 36,000*-Page Extra High Yield Print Cartridge available.<br>*Average standard page yield value declared in accordance with ISO/IEC19752.                                                                                                                                                                                 | <b>Toner Cartridges:</b> This model ships with an 18,000*-Page Yield Print Cartridge. Aftermarket 36,000*-Page Extra High Yield Print Cartridge available.<br>*Average standard page yield value declared in accordance with ISO/IEC19752.                                                                |
| Recommended Monthly Volume | 3,000 - 20,000 Pages per Month                                                                                                                                                                                                                                                                                                                                                                                            | 5,000 - 30,000 Pages per Month                                                                                                                                                                                                                                                                            |
| Other Options              | Contact your dealer about Lexmark integrated card reader or other workflow solutions.                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                           |

## Part # Memory Options

|         |                               |
|---------|-------------------------------|
| 1025041 | 256MB DDR2-DRAM               |
| 1025042 | 512MB DDR2-DRAM               |
| 1025043 | 1024MB DDR2-DRAM              |
| 14F0245 | 256MB Flash Card              |
| 30G0828 | Japanese Font Card            |
| 30G0825 | Korean Font Card              |
| 30G0826 | Simplified Chinese Font Card  |
| 30G0827 | Traditional Chinese Font Card |

## Part # Application Solutions

|         |                                |
|---------|--------------------------------|
| 30G0829 | Lexmark PrintCryption Card     |
| 16M1254 | X65x Card for IPDS and SCS/TNe |
| 16M1253 | X65x Forms and Bar Code Card   |

## Part # Paper Handling

|         |                                                   |
|---------|---------------------------------------------------|
| 30G0802 | 550-Sheet Drawer                                  |
| 30G0800 | 250-Sheet Drawer                                  |
| 30G0804 | 2000-Sheet High Capacity Feeder                   |
| 30G0871 | 200-Sheet Universally Adjustable Tray with Drawer |
| 30G0860 | 400-Sheet Universally Adjustable Tray with Drawer |

## Part # Connectivity

|         |                                                               |
|---------|---------------------------------------------------------------|
| 1021294 | USB (2 Meter) Cable                                           |
| 1021231 | Parallel (10") Cable                                          |
| 14F0037 | MarkNet N8120 Gigabit Ethernet Print Server                   |
| 14F0042 | MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFL Print Server |
| 14F0040 | MarkNet N8150 802.11b/g/n Wireless Print Server               |
| 14T0145 | Lexmark N4050e 802.11 g Wireless Print Server                 |
| 14T0220 | MarkNet™ N7020e Gigabit Ethernet Print Server                 |
| 14F0000 | Parallel 1284-B Interface Card                                |
| 14F0100 | RS-232C Serial Interface Card                                 |

