
Multifunction Color

RICOH MP C4504/ MP C6004





Improve productivity in your own way

You take your work personally. Why not use it to your advantage? Use what you know about your everyday tasks to customize digital workflows on the RICOH® MP C4504/MP C6004 Color Multifunction Printer (MFP) with our Workstyle Innovation Technology. Choose from multiple user interfaces for intuitive fingertip control on an oversized 10.1"-wide Super VGA Smart Operation Panel. Create one-touch shortcuts to automate manual tasks. Place your own information-rich widgets on the control panel and check settings and critical details with a single glance. Produce more types of jobs in more formats — including brilliant color prints on a wide range of paper stocks — with speed and convenience without compromising security or wasting resources. Add user authentication to protect information and to encourage more responsible printing. And take advantage of mobile technologies to remain productive from anywhere.

- Print up to 60 color prints/copies per minute
- Use flick, pinch and swipe motions to navigate an interactive user interface
- Customize your own automated workflows to reduce manual tasks
- Use your personal mobile device to print and share information anywhere
- Showcase your work in brilliant colors with professional finishing
- Take advantage of eco-friendly features to lower operating costs and reduce overall environmental impact without sacrificing business productivity

Do it all with speed and convenience

Perform more tasks with fewer hassles

Expedite every task, every day

Decisions have to be made. You might as well ensure they're the right ones by getting information where it needs to be — on time. A built-in motion sensor activates the Smart Operation Panel as you approach, so you can begin working the moment you arrive at the MFP. Print up to 60 pages per minute for incredibly fast turnarounds, even when producing full-color brochures, presentations, spreadsheets and more. Add optional paper trays to extend paper capacity up to 4,700 sheets, and remove paper jams quickly via an animated guide to keep jobs moving. Scan full-color originals and deliver them at breakneck speeds with a host of scan-to capabilities, including access to your LDAP directory for email delivery. Send and receive paperless faxes to ensure contracts, forms and other important documents arrive at the right destination at the right time.



Leave your mark with brilliant colors

Make an unforgettable impression by producing compelling images and documents with densely rich colors for more lifelike reproductions at up to 1200 dpi resolution. The RICOH MP C4504/MP C6004 recalibrates itself as it processes files, which means colors never deteriorate and text and lines stay incredibly sharp page after page. Expand your reach by printing on a wider, thicker range of paper stocks — up to 12" x 18" sizes and 300 gsm/80 lb. Bond. You can even create posters and banners that would normally be reserved for wide-format devices by combining multiple pages into one image. Want to save on outsourcing costs? Choose the new Fiery* E-23C Color Controller and produce spot color professional output using the gamut of RGB, CMYK and PANTONE* colors.



Make your mark from anywhere

With your smartphone or tablet in hand, productivity remains within your grasp. Download the RICOH Smart Device Connector app to connect to the MP C4504/MP C6004 without software, utilities, drivers or delays. Simply touch your mobile device to the MFP's Near Field Communication (NFC) tag to print, scan and share documents, photos and more instantly. Send information to your phone just as easily. Scan originals at the device, deliver them to your smartphone and tablet and take them with you. Use your personal address book to bypass manual entry tasks and send emails to any recipient in a single action. Plus, you can use the dual optional network port to connect to multiple networks simultaneously.



A new way to work is within your reach

Slide from one job to the next with ease

Searching for ways to be more productive? Look right in front of you, it's at your fingertips with our revolutionary Workstyle Innovation Technology. Use the same motions you use on your smartphone or tablet — including swipe scrolling, drag-and-drop and pinch-and-flick gestures — to toggle between jobs and check settings quickly. Take advantage of the dynamic user interface layout on the oversized 10.1"-wide Super VGA Smart Operation Panel to access information instantly. Because there are no hard keys, you simply tap icons to navigate from one task to the next. The user interface even lets you print, scan, copy and fax using convenient one-touch controls. Don't worry, we didn't forget about what's worked in the past. You can opt to use a touchscreen version of the legacy user interface found on previous Ricoh devices.



Use intuition to work smarter

Decisions are easier when you have the right information. Workstyle Innovation Technology lets you access information at any time. Choose to use the "smart apps" user interface so you can access details quickly and intuitively with a single glance. Click on your choice of iconic apps to automate everyday print, copy, scan and fax workflows and reduce time-consuming manual entry that can derail even your best ideas. Check any setting — from the number of prints to scan-to destinations to finishing options — with a tap of your finger. Need to make changes to settings or workflows? Touch the interactive Smart Operation Panel again to make adjustments in only moments. Looking for more features and functions? Download additional apps from our Application Site and place them as one-touch widgets on the Home Screen.



Customize workflows to simplify information flow

You have a lot of work to do. Who says you have to spend a lot of time doing it? Simplify your workday and deploy workflow applications that streamline business via Ricoh Workstyle Innovation Technology and use what you know about everyday tasks to create unique, customized solutions powered by the Smart Operation Panel. Do you routinely print the same types of spreadsheets? Do you scan and share notes after the weekly meeting? Integrate multiple processes and simplify complex tasks, so you can simply press an icon and complete these tasks faster without repeating steps or recreating the work. You can use the interactive user interface as a one-touch path for special tasks, too. Tap the ID Card Copy icon to scan two-sided identity documents, such as licenses and insurance cards, onto a single-sided document. For more complex workflows, add your choice of plug-and-play workflow software to simplify your workday.



Empower users to work quickly, collectively

Grab and share information automatically

Move information to the right people in the right format quickly. Access up to 3,000 frequently-used documents stored in the Document Server. Use the built-in browser to capture files and images in the Cloud without servers, system integration and software updates. With embedded Optical Character Recognition (OCR) software, you can place keyword-searchable metadata on that information for easier retrieval. Ready to share with others? Scan originals at up to 180 ipm via the 220-Sheet Single Pass Document Feeder and use scan-to capabilities to send digital files to any recipient, anywhere. Or, use Ricoh Device Software Manager to simplify print driver installation and begin using the device in moments. You can also track everything in real time with web-enabled tools, or have Ricoh's knowledgeable support desk staff operate and configure your Smart Operation Panel remotely for faster, better outcomes.



Hold yourself and others accountable

You're responsible for getting company information to the right people. So make certain the right people are sending it. With user authentication, you can track activity for every user, set print quotas, restrict access to specific functions and more. Each user logs in to the MP C4504/MP C6004 by entering a passcode or billing code — or by passing an ID card over an optional NFC card reader at the device. With Locked Print, users can release jobs for printing only when standing at the MFP, which reduces unnecessary printing and helps protect confidential information. You can also place a watermark on specific printed documents if unauthorized users try to recreate them. Take advantage of encryption protection and automatic overwrites to prevent access to information residing on the hard drive.



Plan to save

The MP C4504/MP C6004 is designed specifically to simplify workloads while reducing expenses. Because the MFP meets EPEAT® Gold criteria* and ENERGY STAR® certifications, you can realize incredibly low Typical Electricity Consumption (TEC) rates — as low as 1.8 kWh/week. Use duplex printing as the default to reduce paper costs. Program the MFP to power down automatically when you know the office will be empty. And use the Eco-Friendly widget to send users hints and tips for conserving energy. You can even track how much energy you're saving. The system is also equipped with an innovative motion sensor, which senses an approaching user by detecting the differences in body temperature versus the surrounding environment. The system will awake from Sleep Mode and turn on the operation panel within one second so it is ready to begin job programming by the time the user arrives at the machine.



*EPEAT Gold rating is applicable only in the USA.

To view detailed features of our multifunction products online go to www.ricoh-usa.com/products

Perform more jobs with fewer hassles



- 1 Smart Operation Panel: Choose from multiple intuitive user interfaces to customize and automate workflows on the 10.1"-wide Super VGA Smart Operation Panel. Create iconic shortcuts. Add convenient widgets. And access information with one-touch control using the same motions you use on your smartphone or tablet.
- **220-Sheet Single Pass Document Feeder (SPDF):** Feed color and black-and-white documents with high-speed copying and scanning in a single pass.
- User authentication: Monitor the activity for every MFP user with personal passcodes or billing codes. Or, with embedded Near Field Communication (NFC) technology and an optional NFC Card Reader, you can require users to gain access via proximity card.
- Paper Trays (Standard): With two 550-Sheet Paper Trays, one of which can accommodate paper sizes up to 12" x 18", you can produce more jobs with fewer reloads.
- 100-Sheet Bypass Tray: Accommodate a wider range of paper stocks from envelopes to 12.6" x 49.6" banner sizes to impress audiences with versatile output. Add an optional Banner Paper Guide Tray for convenient, affordable banner printing.

- **Document Server:** Create up to 200 shared or passcode-protected personal folders to store up to 3,000 frequently used digital documents on the MFP's hard drive.
- **Tandem Large Capacity Trays (Optional):** Extend runs for 8.5" x 11" paper sizes with two 1,000-Sheet Paper Trays.
- **1,500-Sheet Side Large Capacity Tray (Optional):**Minimize interruptions by adding up to an additional 1,500 sheets of letter-sized paper.
- 9 **125-Sheet One Bin Tray (Optional):** Separate output quickly for easier retrieval when printing multiple jobs.
- 10 **2,000-Sheet External Booklet Finisher:** Produce up to 20-sheet saddle-stitched booklets cost-effectively. Available with an optional Hole Punch Unit.
- **Dual Network Support (Optional):** Connect to multiple networks simultaneously via the additional network interface port.
- **Web Browser:** Use the built-in web browser on the MFP touch panel to search for web pages.
- **Motion Sensor:** Senses approaching users and awakens the MFP from Sleep Mode so it is ready by the time the user arrives at the machine.

Put it all together at the end

Bring your best ideas together by finishing them in style. With the External Hybrid Stapleless + Stapler Finisher, you can conserve resources by getting rid of staples entirely for document sets of 2 to 5 pages. For document sets from 6 to 50 pages, the finisher can automatically convert to staples. It is ideal for educational, manufacturing and healthcare environments.

You can choose other finishing options, too. Each is specifically designed to simplify paper handling, stacking and stapling, so you can concentrate on other core tasks. Choose the one that meets your unique requirements and give your projects an affordable, impressive professional-grade look.

| SR3130 Internal Stapler Finisher* | SR3210 External Hybrid Stapler + Stapleless Finisher | SR3220 External Booklet Finisher | SR3240 External Booklet Finisher | SR3230 External Stapler Finisher |
|--------------------------------------|---|-------------------------------------|-------------------------------------|-------------------------------------|
| | | | | |
| | | 7 | | |

| Finisher | Paper Capacity (LT) | Hole-Punch | Saddle Stitch | Stapleless |
|-----------------|---------------------|------------|-----------------|--|
| SR3130 Internal | 500 Sheets | Option | N/A | N/A |
| SR3210 External | 1,000 Sheets | Option | N/A | Stapleless – Up to 5 Sheets Stapled – Up to 50 Sheets LTR |
| SR3220 External | 1,000 Sheets | Option | Up to 15 Sheets | N/A |
| SR3240 External | 2,000 Sheets | Option | Up to 20 Sheets | N/A |
| SR3230 External | 3,000 Sheets | Option | N/A | N/A |

^{*}Not available for MP C6004

General Specifications

Configuration Desktop Printing Process 4-Drum Method MP C4504: 45-ppm B&W & FC (LTR) Output Speed MP C6004: 60-ppm B&W & FC (LTR) (Copy/Print)

Warm-Up Time 24 seconds Approximately 1.0 second (motion-Recovery from

Sleep Mode sensor activated) MP C4504: 5.7/4.0 seconds MP C6004: 4.5/3.1 seconds First Copy Time

(FC/B&W) Copy Resolution 600 dpi Quantity Indicator Up to 999 copies

Original Capacity: 220 sheets Original Size: 5.5" x 8.5" – 11" x 17" Single Pass Document Feeder (SPDF)

(A5 - A3)Paper Weights: Simplex: 11 – 34 lb. Bond (40 – 128 g/m²), Duplex: 14 – 34 lb. Bond (52 – 128 g/m²)

Standard: 2 x 550 sheets + 100-Sheet Paper Capacity Bypass Tray, Maximum: 4,700 sheets (w/Tandem LCT + Side LCT)

1st Paper Tray: 8.5" x 11" (A4) Supported Paper Sizes 2nd Paper Tray: 5.5" x 8.5" - 12" x 18" (A6 - A3), Envelopes

Bypass: Up to 12" x 18", Envelopes Custom Sizes: Width: 3.5" - 12.6' (90 – 320 mm), Length: 5.8" – 49.6"

(148 - 1260 mm) Standard Trays: 16 – 80 lb. Bond/ 166 lb. Index (60 – 300 g/m²) Supported Paper Weights Bypass Tray: 14 - 80 lb. Bond/

166 lb. Index (52 – 300 g/m²) Duplex Unit: 14 – 68 lb. Bond/ 142 lb. Index (52 - 256 g/m²) Paper Types Plain, Recycled, Special Paper 1 - 3, Letterhead, Cardstock, Preprinted

Paper, Bond Paper, High-Gloss Coated Paper, Color Paper, Envelopes, Coated, Labels* & OHP*

Auto Duplex Standard: 500 sheets **Output Capacity** Maximum: 3.625 sheets 25% - 400% in 1% increments

26 3" x 29 1" x 47 5" (668 x 738 x Dimensions (WxDxH) 1205 mm) (Includes SPDF and Two-Tray

Paper Bank) 228 lbs (103 kg) Power Requirements 120V - 127V, 60Hz, 15A

Power Consumption 1,584W or less; Sleep Mode: .79W TEC Value** MP C4504: 1.8 kWh/week MP C6004: 2.8 kWh/Week

Font Support

Utilities

Weight

Printer Specifications (Standard)

CPU Intel Atom Processor Bay Trail 1.75 GHz Memory/HDD 2 GB RAM/320GB HDD Standard & 4GR RAM/320GR HDD Ontion

Standard: PCL5c, PCL6, PDF Page Description Optional: Adobe® PostScript®3™, XPS Languages IPDS & PictBridge Standard: PCL: 45 Scalable fonts +

International 13 fonts Optional: PostScript 3: 136 Roman

fonts; IPDS: 108 Roman fonts Max. Print Resolution 1200 x 1200 dpi

Standard: 1000Base-T/100Base-TX/ Network Interfaces 10Base-T Ethernet, USB2.0 Type A (3 Ports), SD Slot on Operation Panel Option: IEEE1284/ECP; IEEE802.11a/b/g/n;

USB2.0 Type B **Network Protocol** TCP/IP (IPv4, IPv6)

Support Network/OS Windows Vista/7/8/8.1/10/Server 2008/ Server 2008R2/ Server2012/ Server 2012R2

Unix; Sun Solaris, HP-UX, SCO OpenServer, RedHat Linux, IBM AIX, Citrix Presentation Server 4.5, XenApp 5.0 Mac OS X v.10.7 or later, SAP R/3, IBM iSeries AS/400-using OS/400 Host Print Transform

Device Manager NX, Web Image

Monitor, @Remote

Document Server Specifications (Standard)

Max. Stored Documents 3,000 Max. Pages/Document Max. Page Capacity 9.000 Max. Number of Folders 200

Scan Modes

Scanner Specifications (Standard)

B&W and FC scanning at 100 - 600 dpi, Scanner Resolution Up to 1200 dpi for TWAIN scanning Scanning Speed (B&W & Color LTR) 200/300 dpi: 110 ipm Simplex/ 180 ipm Duplex

11.7" x 17" (297 mm – 432 mm) Compression Method B&W TIFF: MH, MR, MMR, JBIG2

Color: JPEG Supported File Formats Single/Multi-Page TIFF, PDF, High Compression PDF & PDF/A, Single-Page

Scan-to-Email (with LDAP support)

Scan-to-Folder (SMB/FTP) Scan-to-URL Scan-to-Media (USB/SD Card) Network TWAIN Scanning

Facsimile Specifications (Optional)

ITU-T (CCITT) G3 PSTN, PBX Type Circuit

200 x 100 dpi, 200 x 200 dpi, 400 x 400 dpi (with optional SAF memory) 33.6K – 2,400 bps w/Auto Fallback Modem Speed

MH, MR, MMR, JBIG Compression Method Transmission Speed G3: Approximately 2 seconds/page

(JBIG)

Up to 81 spm Scanning Speed Auto Dialing

2,000 Quick/Speed Dial numbers; 100 Group Dial numbers Memory Capacity (SAF) Standard: 4 MB (approx. 320 pages),

Optional: 64 MB (approx. 4,800 pages) with optional SAF memory

Security Features (Standard)

DataOverwriteSecurity System (DOSS), HDD Encryption, User Codes, SNMP v3 Support, Encryption, Locked Print, User Authentication, 802.1x Wired Authentication, Quota Setting/Account Limit, Digitally Signed PDF, and more

^{**}Typical Electricity Consumption by ENERGY STAR Qualified Imaging Equipment Test Procedure

RICOH MP C4504/MP C6004

SYSTEM SPECIFICATIONS













Hardware Accessories

Paper Handling Options

Two-Tray Paper Bank (PB3160)

1,100 sheets (550 sheets x 2 trays) 7.25" x 10.5" to 12" x 18" (A5 – A3) Tray Capacity Paper Size Paper Weight 14 - 80 lb. Bond/166 lb. Index

(52 – 300 g/m²) 23.1" x 27" x 9.7" (587 x 685 x 247 mm) Dimensions (WxDxH)

One-Tray Paper Bank (PB3150)1

Tray Capacity 550 sheets x 1 tray 7.25" x 10.5" to 12" x 18" (A5 – A3) Paper Size Paper Weight 14 - 80 lb. Bond/166 lb. Index

(52 – 300 g/m²) 23.1" x 27" x 4.7" (587 x 685 x 120 mm) Dimensions (WxDxH)

Requires installation of Caster Table Type M3 Tandem Large Capacity Tray (PB3230)

Tray Capacity 2,000 sheets (1,000 sheets x 2) 8.5" x 11" (A4) Paper Size 14 – 80 lb. Bond/166 lb. Index Paper Weight (52 - 300 g/m²)

23.1" x 27" x 9.7" (587 x 685 x 247 mm) Dimensions (WxDxH)

Side Large Capacity Tray (RT3030) Tray Capacity 1,500 sheets Paper Size 8.5" x 11" (A4)

Paper Weight 14 - 80 lb. Bond/166 lb. Index

(52 - 300 g/m²)

Dimensions (WxDxH) 13.4" x 21.4" x 11.4" (340 x 545 x 290 mm) Requires installation of Two-Tray Paper Bank (PB3160) or Tandem LCT (PB3230)

Output Trays & Finisher Options

Internal Shift-Sort Tray (SH3070)3

250 sheets (8.5" x 11" or smaller) (A4 – A5) 125 sheets (8.5" x 14" or larger) (B4 – A3) 5.5" x 8.5" to 12" x 18" (A5 – A3) Tray Capacity

Paper Weight 14 - 80 lb. Bond/166 lb. Index (52 - 300 g/m²)

Cannot be installed with any Finisher

One-Bin Tray (BN3110)

5.5" x 8.5" to 12.6" x 17.7" (A5 - A3) Paper Size 14 – 80 lb. Bond/166 lb. Index Paper Weight

(52 - 300 g/m²)

Tray Capacity 125 sheets 500-Sheet Internal Finisher (SR3130)"

Paper Size 5.5" x 8.5" to 12" x 18" (A6 - A3)

14 – 80 lb. Bond/166 lb. Index Paper Weight

(52 - 300 g/m²)

500 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 14" or larger) (B4 – A3) Stack Capacity

250 sneets (8.5" x 14" or larger) (84 – 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 28 lb. Bond (52 – 105 g/m) 50 sheets (8.5" x 11") (A4) 30 sheets (8.5" x 14" or larger, and/or Staple Paper Size Staple Paper Weight Staple Capacity

Mixed Sizes) (B4 - A3) Top, Bottom, 2 Staples

Staple Positions Dimensions (WxDxH) 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm)

*Not available for MP C6004.

2-/3-Hole Punch Unit (PU3040NA)

(Optional; Installs inside SR3130 Internal Finisher) **Punch Paper Sizes** 7.25" x 10.5" to 11" x 17" (A4 - A3) 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m²) Punch Paper Weight 1,000-Sheet Hybrid Staple + Stapleless Finisher (SR3210) 234

Paper Size Proof Tray: 5.5" x 8.5" to 12" x 18"

(A6 – A3)

Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 - A3)

Proof Tray: 14 – 45 lb. Bond/93 lb. Index Paper Weight

(52 - 169 g/m²)

Shift Tray: 14 - 80 lb. Bond/166 lb. Index

(52 - 300 g/m²)

Stack Capacity

(12 – 360 g/m) Proof Tray: 250 sheets (8.5" x 11") (A4); 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 1,000 sheets (8.5" x 11") (A4); 500 sheets (8.5" x 14" or larger) (B4)

Stapleless Capacity

2 – 5 sheets/set 50 sheets (8.5" x 11") (A4) 30 sheets (8.5" x 14" or larger) (B4) Staple Capacity

Staple Paper Size Staple Paper Weight 8.5" x 11" to 12" x 18" (A4 – A3) 14 – 28 lb. Bond (52 – 105 g/m²) Staple Positions Top, Bottom, 2 Staples

Dimensions (WxDxH) 22.2" x 24.4" x 37.8" (563 x 620 x 960 mm)

1,000-Sheet Booklet Finisher (SR3220)234

Proof Tray: 5.5" x 8.5" to 12" x 18" Paper Size (A6 - A3)

Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 - A3)

Booklet Tray: 8.5" x 11" to 12" x 18" (A4 - A3)

Paper Weight Proof Tray: 14 – 45 lb. Bond (52 – 169 g/m²) Shift Tray: 14 - 80 lb. Bond/166 lb. Index

(52 – 300 g/m²)

Booklet Tray: 14 - 28 lb. Bond

(52 – 105 g/m²) Proof Tray: 250 sheets (8.5" x 11" or Stack Capacity smaller) (A4); 50 sheets (8.5" x 14" or

larger) (B4 - A3)

Shift Tray: 1,000 sheets (8.5" x 11" or

smaller) (A4); 500 sheets (8.5" x 14" or larger) (B4 – A3)

Booklet Tray: 20 Sets (2 – 5 sheets), 10 Sets (6 – 10 sheets) & 7 Sets (11 –

15 sheets)

Staple Capacity Normal Staple: 50 sheets (8.5" x 11") (A4); 30 sheets (8.5" x 14" or larger) (B4 - A3)

Saddle Stitch 15 sheets

Normal Staple: 8.5" x 11" to 12" x 18" Staple Paper Size

(A4 - A3)

Saddle Stitch: 8.5" x 11" to 12" x 18"

(A4 – A3)

Staple Paper Weight 14 - 28 lb. Bond (52 - 105 g/m²) Staple Positions Top, Bottom, 2 Staples, Booklet Dimensions (WxDxH) 22.2" x 24.4" x 37.8" (563 x 620 x 960 mm)

2-/3-Hole Punch Unit (PU 3050NA)

(Optional; Installs inside SR3210 or SR3220 Finisher) **Punch Paper Sizes** 5.5" x 8.5" to 11" x 17" (A5 - A3)

14 - 68 lb. Bond/142 lb. Index Punch Paper Weight (52 - 256 g/m²)

2,000-Sheet Booklet Finisher (SR3240)234

Proof Tray: 5.5" x 8.5" to 12" x 18" Paper Size (A6 - A3)

Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 - A3)

Booklet Tray: 8.5" x 11" to 12" x 18"

(A4 - A3) Paper Weight Proof Tray: 14 – 58 lb. Bond/122 lb. Index

(52 - 220 g/m²)

Shift Tray: 14 - 80 lb. Bond/166 lb. Index

 $(52 - 300 \text{ g/m}^2)$ Booklet Tray: 17 - 28 lb. Bond

(64 – 105 g/m²) Proof Tray: 250 sheets (8.5" x 11" or Stack Capacity

smaller) (A4)

50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 2,000 sheets (8.5" x 11" or

smaller) (A4)

1,000 sheets (8.5" x 14" or larger) (B4) Booklet Tray: 30 sets (2 – 5 sheets) or 15 sets (6 - 10 sheets) or 10 sets (11 - 15 sheets) or 6 sets (16 – 20 sheets) Normal Staple: 50 sheets (8.5" x 11" to

Staple Capacity 11" x 17" and Mixed Sizes) (A4 - A3)

Saddle Stitch: 20 sheets

Normal Staple: 8.5" x 11" to 11" x 17" Staple Paper Size

(A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18"

(A4 - A3)

Staple Paper Weight 14 - 28 lb. Bond (52 - 105 g/m²) Staple Positions Top, Bottom, 2 Staples, Top Slant, Booklet 25.9" x 24.1" x 37.8" (657 x 613 x 960 mm) Dimensions (WxDxH)

3,000-Sheet Finisher (SR3230)²³⁴

Paper Size Proof Tray: 5.5" x 8.5" to 12" x 18"

(A6 - A3)Shift Tray: 5.5" x 8.5" to 12" x 18"

(A6 - A3)

Paper Weight Proof Tray: 14 - 58 lb. Bond/122 lb. Index (52 – 220 g/m²)

Shift Tray: 14 - 80 lb. Bond/166 lb. Index

(52 - 300 g/m²) Stack Capacity Proof Tray: 250 sheets (8.5" x 11" or

smaller) (A4)

50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 3,000 sheets (8.5" x 11") (A4) 1,500 sheets (8.5" x 14" or larger) (B4)

50 sheets (8.5" x 11" to 11" x 17") or

Mixed Sizes (A4 – A3) 8.5" x 11" to 11" x 17" (A4 – A3) Staple Paper Size 14 - 28 lb. Bond (52 - 105 g/m²) Staple Paper Weight Top, Bottom, 2 Staples, Top Slant 25.9" x 24.1" x 37.8" (657 x 613 x 960 mm) Staple Positions

2-/3-Hole Punch Unit (PU3060NA)

Staple Capacity

Dimensions (WxDxH)

(Optional; Installs inside SR3230 or SR3240 Finishers) **Punch Paper Sizes**5.5" x 8.5" to 11" x 17" (A5 – A3) 14 - 68 lb. Bond/142 lb. Index Punch Paper Weight

(52 - 256 g/m²)

Color Controller E-23C

Controller Type Embedded Type

Fiery Platform FS150

Intel Processor G850 2.9GHz CPU Host Interface 1000Base-T/100Base-TX/10Base-T

Memory 2 GB Internal HDD 500 GB

Operating System Network Protocol Linux TCP/IP (IPv4/IPv6), SMB, Bonjour **Printer Description** Standard: PostScript 3 & PCL6/5c

Language
Max Print Resolution Up to 1200 dpi (2 bit)

Max Scan Resolution Up to 600 dpi

Fonts

Utilities

PS3: 138 fonts/PCL: 81 AGFA fonts Standard: Command WorkStation® 5, Fiery®

Scan, Printer Delete Utility, Fiery Web Tools, Fiery Bridge, Secure Erase and Fiery VUE Optional: Fiery Impose, Fiery Compose, Fiery Auto Trap, EFI Spot-On™, Fiery Hot Folders, Fiery Color Profiler Suite v4.0, Fiery ES-2000 Spectrophotometer and

EFI Productivity Pack

ICC Profile, Color Chart, CMYK Color Reference Pages, RGB Color Tests, Color Management Tools

Trapping Support and ColorWise® Pro Tools

Additional Accessories

Banner Paper Guide Tray Type M19, Caster Table Type M3, Bridge Unit BU3070, Cabinet Type F, Camera Direct Print Card Type M19, Card Reader Bracket Type 3352, Extended USB Board Type M19, External Keyboard Bracket Type M19, Fax Connection Unit Type M20, Fax Memory Unit Type M19 64MB, File Format Converter Type M19, G3 Interface Unit Type M20, HotSpot MFP Option Type S, IEEE 802.11a/g/n Interface Unit Type M19, IEEE 1284 Interface Board Type M19, Imageable Area Extension Unit Type M19, Key Counter Bracket Type M3, Memory Unit Type M19 4GB, NFC Card Reader Type M19, OCR Unit Type M13, Optional Counter Interface Unit Type M12, Postscript3 Unit Type M19, Power Filter ESP XG-PCS-15D, Smart Card Reader Built-in Unit Type M19, USB Device Server Option Type M19,

XPS Direct Print Option Type M19 ¹Either the Cabinet Type F or one of the paper options must be installed.

²Requires configuration with Bridge Unit BU3070.

Specifications are subject to change without notice

3Cannot be installed together.

Requires installation of Two-Tray Paper Bank (PB3160) or Tandem Large Capacity

Some options may not be available at the time of market release.

For maximum performance and yield, we recommend using genuine Ricoh parts and supplies

RICOH imagine. change.

www.ricoh.ca